

PROSTATE FLOW & NOCTURIA MANAGEMENT

The Nocturia Elimination Protocol: The 4-Hour Evening Beverage Guide

A Urological Action Guide & Nighttime Voiding Schedule to Minimize Midnight Bathroom Waking and Relax Prostate Pressure

PUBLICATION	CATEGORY	RESEARCH LAB
Master Clinical Edition	Men's Health & Urology	DDD Labs

MODULE 1

The Physiology of Nighttime Prostate Constriction

Waking 3 to 5 times per night to urinate with a weak, hesitant dribble is not a natural consequence of aging. It is caused by two compounding mechanical issues: **periprostatic micro-circulation vascular collapse** and **parasympathetic nervous bladder hypersensitivity**.

⚠

The Evening Diuretic Trap

Consuming bladder-irritating beverages within 4 hours of bedtime triggers involuntary detrusor muscle spasms. Even 'healthy' decaf teas, artificial sweeteners (aspartame/sucralose), and carbonated mineral waters acidify urine, tricking the bladder brain center into signaling urgency even when containing less than 50ml of fluid.

Evening Hour	Target Hydration Protocol	Detrusor Muscle Status
T - 4 Hours (6:00 PM)	Final bulk water intake (12 oz clean water with a pinch of Celtic sea salt for cellular absorption)	Normal relaxed compliance
T - 3 Hours (7:00 PM)	Cut all caffeine, alcohol, citrus juices, and carbonated beverages	Prevents acid-induced bladder neck twitching
T - 2 Hours (8:00 PM)	Sip 4 oz warm chamomile or horsetail tea (natural bladder smoother)	Suppresses involuntary detrusor contractions
T - 30 Min (9:30 PM)	Double-Voiding Technique (Void once, wait 60 seconds seated, void again)	Empties residual 30-50ml urinary pool completely

MODULE 2

The 3 Physical Techniques for Complete Bladder Emptying

- ☐ **Technique 1: Seated Forward-Tilt Urination** — Standing upright forces pelvic floor muscles to tense to maintain balance. Urinating in a seated position with feet flat and elbows on knees relaxes the levator ani and puborectalis muscles by 40%, increasing voiding flow velocity.
- ☐ **Technique 2: The Bulbar Urethra Gentle Milk** — After voiding, place 3 fingers behind the scrotum and apply gentle upward and forward pressure along the urethra. Expels the final teaspoon of stagnant urine that triggers post-void dribble.
- ☐ **Technique 3: Lower Limb Venous Elevation** — Fluid that pools in your ankles and calves during the day re-enters the bloodstream when you lie down flat, overloading your kidneys at 2:00 AM. Elevate your legs on 2 pillows for 30 minutes at 6:00 PM to clear fluid before bed.

ROOT CAUSE CORRECTION • MICRO-CIRCULATION RESTORATION

Voiding Tricks Relieve the Night — ProstaVive Shrinks the Blockage

Hydration timing stops urine from pooling at night, but it cannot dissolve the root cause: poor blood flow and toxic micro-inflammation constricting the prostate gland around your urethra like a kinked garden hose.

ProstaVive is a physician-formulated botanical powerhouse featuring *Pygeum Africanum*, *Tongkat Ali*, and *Stinging Nettle* engineered to flood the pelvic vascular network with nitric oxide, reducing prostate gland swelling, supporting rock-solid stream pressure, and letting you sleep 8 hours uninterrupted.

Retail Price: \$149

Today: \$39.00 / bottle (180-Day Guarantee)

Claim ProstaVive Deal

»